NATURAL WOOD BEAUTY EXTERIORS







-3

Liberty Place, Sydney 2014 WAF Winner - Office category



+

X i

Renarchier

AA

RED

AR

Prodema in the world

Prodema Representatives



I NATURAL WOOD BRINGS YOUR PROJECTS TO LIFE





building with its unique style, beauty and elegance.


conforms to the most innovative designs in facade coverings.

We have a deep respect for nature and quality of life.

Natural wood enhances the look of any

Our natural wood performs impressively and





THE ELEGANCE OF NATURAL WOOD

Our objective is to provide the world of architecture with unique materials that help architects design warm, beautiful, comfortable spaces that improve the quality of life for all.

Energy efficient buildings with the elegance of natural wood.





2 BOUNDLESS CREATIVITY





PRODEX pushes the envelope in facade design as architects partner with **Prodema** to create innovative designs never thought possible. A product that allows your vision become reality by offering versatility, warmth, elegance, and remarkable performance.

Here at **Prodema** we work hard to be a source of inspiration for architects. This partnership has translated into prestigious architectural design awards, globally.



18











MAINTENANCE FREE NATURAL WOOD





THE CHARACTERISTICS OF NATURAL WOOD

special, no two panels are alike. When sunlight reflects off the wood fibres the full beauty of natural wood can be observed and facades light up in a range of different tones.

ifescurce



- Each **PRODEX** panel is unique and each wood grain is

30

4 committed to nature

des.





At **Prodema** quality design and innovation are of upmost important to us. However, our respect for nature is even more important: being both our source of material and our inspiration. At **Prodema** we work to promote sustainable construction by maximizing wellbeing with environmental efficiency in building projects.

Using **Prodema** also provides **points in green building certification schemes such as LEED** (Leadership in Energy and Environmental Design) or **BREEAM** (Building Research Establishment Environmental Assesment Methodology).

Prodema also boasts **PEFC** certification, the guarantee that our products have been manufactured with raw forest materials managed in a socially and environmentally responsible way.

5 PRODEX THE PERFECT SKIN FOR VENTILATED FACADES



PRODEX in a ventilated facade is an excellent protective cladding as it prevents rainwater from entering walls and insulation leaving them humidity free thanks to the flow of air behind the panels.

Buildings with a ventilated facade system are well insulated and protected from rainwater throughout the year. They create more comfortable living conditions as temperature variations are reduced to a minimum and energy is saved.

In addition to this, its high quality, versatility, easy installation and minimum maintenance make **PRODEX** the perfect skin for buildings.

installation.

Please refer to the **PRODEX** technical catalogue for all information needed on



MOUNTING SYSTEMS

Concealed:

The concealed fixing system is available for both walls and ceilings. The attachment system hides behind the panel for those projects requiring an aesthetically smooth facade, free of hardware.

Exposed:

This is the most common mounting system employed with **PRODEX** panels: simple, strong and more cost-effective than other systems.

42



SUSPENDED CEILING: CONCEALED FIXINGS

Surry Hills library, Sydney

National Architecture Awards 2011. Global Design Award 2011. National Award for Sustainable Architecture and National Award for Public Architecture at the National Architecture Awards.

LOUVERS

Louvers are the perfect complement to a ventilated facade, they are designed to cover glass spaces and other surfaces and make it possible to control sunlight as well as energy consumption within a building.

CLAPBOARD FACADE

This mounting system transforms your facade into traditional clapboard siding with all the benefits of a ventilated facade.



CURVED FACADES

There are various ways of cladding curved facades with **PRODEX** panels. The various solutions are detailed in the technical catalogue.



6 PRODEX COLORS



Pale



Dark Brown







Deep Brown



Light Brown .







IN THE PRODEX TECHNICAL CATALOGUE ALL THE TECHNICAL SPECIFICATIONS AND POSSIBLE USES FOR THE PRODUCT CAN BE FOUND

PANEL COMPOSITION:

PRODEX panels have a bakelite core covered with a natural wood veneer that is specially treated to ensure maximum resistance.

We have developed an exterior PVDF film with non-stick qualities in order to achieve a maximum level of care for the wood, ensuring panels are protected from moisture, rain, sunlight, and even the build-up of dirt on the panels' surface.

MAINTENANCE-FREE:

PRODEX natural wood panels do not need the regular maintenance other woods for exterior require.

AESTHETIC:

PRODEX panels offer the design world the possibility to create natural, living facades with a wide range of tones and creative options available.

RESISTANCE AND DURABILITY:

PRODEX panels are the perfect material for cladding facades thanks to the panel's technical qualities. The panel's bakelite core means it is possible to adjust the panel's thickness and its subsequent technical qualities making PRODEX the ideal solution for all types of projects.

PRODEX panels are extremely hard, rendering them perfectly resistant to continuous exposure to sunlight and sharp changes in temperature and humidity.

They also offer a high level of durability against termite attacks and maximum resistance to vandalism.

PRODEX panels also offer excellent dimensional stability.

CLEANING:

The PVDF surface prevents dust and all kinds of dirt from sticking to the panel surface, ensuring ease of maintenance and cleaning.

ANTI-GRAFFITI RESISTENCE:

The outer chemical non-stick layer impregnated into **PRODEX** panels prevents aerosol paint from sticking permanently to the surface.

PANEL DIMENSIONS:

Length x width: 2.440 mm x 1.220 mm. Thicknesses 6, 8, 10, 12, 14, 16, 18, 20, 22 mm.

FIRE RATING:

On request, panels may be supplied with different reactions to fire in line with standard EN 13.501-1:

- **♥ PRODEX** C s1, d0
- ▼ **PRODEX:** Class B for North America
- Y PRODEX IGN B s1, d0
- ✓ PRODEX IGN: Class A for North America





Pale



Мосса

OKUME VENEER



Deep Brown






Light Brown



Cream



Mint



Rustik





Prodema Natural Wood, S.L. | Barrio San Miguel, 9, 20.250 Legorreta - Gipuzkoa (Spain) | (t) +34 943 807 000 (f) +34 943 807 130 | prodema@prodema.com